OPE	•	B
TRANSMITTAL (General - Patent		Docket No. P 0555.10025
Re Application Of: Loren R. Schuh, et al.		The state of the s
Serial No. Filing Date 09/918,895 July 30, 200		Group Art Unit
Title: KNIFE AND APPARATUS FOR CLAN	MPING A KNIFE	67
TO THE COMMISS	SIONER OF PATENTS AND TRADEMA	ARKS:
Transmitted herewith is:  Issue Fee Transmittal - Part B; Check for \$94	40, Formal Drawings (3) sheets; Transmi	ttal of Formal Drawings;
Postcard.		RECEIVED JUN 1 0 2003
in the above identified application.		TECHNOLOGY CENTER R3700
<ul> <li>□. No additional fee is required.</li> <li>□. A check in the amount of \$940.00</li> <li>□. The Commissioner is hereby authorized as described below. A duplicate copy of charge the amount of</li> <li>□. Charge the amount of</li> <li>□. Credit any overpayment.</li> <li>□. Charge any additional fee required.</li> </ul>		No. 02-2451
Signature	Dated: September 5, 20	002

Garth Janke, Reg. No. 40,662 BIRDWELL, JANKE & DURANDO, PLC 1100 SW Sixth Avenue, Suite 1400

Portland, Oregon 97204 Tel: 503-228-1841 I certify that this document and fee is being deposited on 9.5.02 with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and is addressed to the Commissioner of Patents and Trademarks, Washington,

D.C. 20231.

Signature of Person Mailing Correspondence

L.H. Rouske

Typed or Printed Name of Person Mailing Correspondence

SIPE				
SEP 1 0 2002 (In Response to Notice of Informal Drawings)			Docket No. P0555.10025	
Re Application Of:	Loren R. Schuh, et al.	•		
Serial No.	Filing Date	Batch No.	Examiner	Art Unit
09/918,895	July 30, 2001		Bray, Waymond D.	3725
Invention: KNIFE	AND APPARATUS FOR	R CLAMPING A KNIFE		
•	,	Address to: Assistant Commissioner for Washington, D.C. 202		
,	OTICE OF INFORMAL  3) sheets of formal dra		<u>July 1, 2002</u> (date) on.	attached please find:

 $\mathbf{X}$ Each sheet of drawing indicates the identifying indicia suggested in 37 CFR Section 1.84(c).

(b) A copy of the NOTICE OF INFORMAL DRAWINGS.

RECEIVED JUN 1 0 2003

TECHNOLOGY CENTER R3700

Garth Janke, Reg. No. 40,662

BIRDWELL, JANKE & DURANDO, PLC

1100 SW Sixth Avenue, Suite 1400

Portland, Oregon 97204

Tel: 503-228-1841

9-5-02 Dated:

I certify that this document and attached drawings are being deposited on **9.5.02** with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Signature of Person Mailing Correspondence

L.H. Rouske

Typed or Printed Name of Person Mailing Correspondence



FOR DEAD 48 (Rev. 03/02) U.S. DEPARTMENT OF COMMERCE - Patent and Trademark Office Application No. 09918695

## NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Infull-tone set is required. Fig(s) Poor quality (half-tone). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, velum paper is not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (IN) size Ad) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing shects not the same size. Sheet(s) Drawings shects not the same size. Sheet(s) Drawings shects not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: JUN 1 0 2003  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700  Fig(s)  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700  Fig(s)  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700  Fig(s)  Fig(s)  Fig(s)  Top (T)  Left (L)  Right (R)  Barckets not discuss the view. 37 CFR 1.84(p)(1)  Fig(s)  Brackets noted to show figure as one entity. Fig(s)  Brackets noted to show figure as one entity. Fig(s)  Brackets noted to show figure as one entity. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Fig(s)  Fig(s)  Sectional designation should be noted with Arabic or Ro	approved by the Draftsperson under 37 CFR 1.84 or 1.152.  Subjected to by the Draftsperson under 37 CFR 1.84 or 1.152 for under 35 CFR 1.84 or 1.152.	or the reasons indicated below. The Examiner will require wing must be sumitted according to the instructions on the back of this n
Coor drawings are hot acceptable until petition is granted.  Fig(s)  2. PHOTOGRAPHS. 37 CFR 1.84(b)  1. Inti-tione set is required. Fig(s)  2. Photographs may not be mounted. 37 CFR 1.84(c)  3. Photographs may not be mounted. 37 CFR 1.84(c)  3. Paper not flexible, strong, white, and durable.  Fig(s)  4. Fig(s)  5. SEALE. 37 CFR 1.84(c)  4. Size or ynachine marks not acceptable (too thin).  Fig(s)  5. Mylar, velum paper is not acceptable (too thin).  Fig(s)  5. Margins. 37 CFR 1.84(f). Acceptable sizes:  2. 1.0 cm by 2.7 cm (Din Size 44)  2. 1.0 cm by 2.7 cm (Din Size 44)  2. 1.0 cm by 2.7 cm (Din Size 44)  2. 1.0 cm by 2.7 cm (Din Size 44)  2. 1.0 cm by 2.7 cm (Din Size 44)  2. 1.0 cm by 2.7 cm (Din Size 44)  2. 1.0 cm by 2.7 cm (Din Size 44)  2. 1.0 cm by 2.7 cm (Din Size 44)  3. Solid black shading not permitted. Fig(s)  5. Margins. 37 CFR 1.84(g). Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Size: 8. Al Size  Top (T)  5. Left (L)  Top (T)  5. Left (L)  Brackets needed to show figure as one entity.  Fig(s)  VIEWS. 37 CFR 1.84(h)  VIEWS. 37 CFR 1.84(h)(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  VIEWS. 37 CFR 1.84(h)(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Fig(s)  Fig(s)  SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  Fig(s)  5. Solid black shading not used for color contrast.  5. Solid black shading not used for color contrast.  5. Solid black shading not used for color contrast.  5. Solid black shading not used for color contrast.  5. Solid black shading not used of color contrast.  5. Solid black shading not used for color contrast.  5. Solid black shading not used of color contrast.  5. Solid black shading not used of color color contrast.  5. Solid black shading not used contracters must be at least 3.2 cm (1/8 incl) in height. 37	Black ink. Color.	Words do not appear on a horizontal, left-to-right fashion
2. PHOTOGRAPHS. 37 CFR 1.84(b) 1. Full-tone set is required. Fig(s) 1. Poor quality (half-tone). Fig(s) 2. Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(c) 2. Paper not flexible, strong, white, and durable. 3. Fig(s) 3. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(c) 4. Mylar, velum paper is not acceptable (too thin). 4. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.1.0 cm by 2.9.7 cm (DIN size A4) 2.1.6 cm by 2.9.7 cm (DIN size A4) 3.1.6 cm by 2.9.7 cm (DIN size A4) 3.1 cm by 2.9 cm (DIN size A4) 3.1 cm (DIN size	Fig(s)	becomes the right side, except for graphs. Fig(s)
Protographs may not be mounted. 37 CFR 1.84(c) Poor quality (half-tone). Fig(s) Type OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Eassures, alterations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.10. cm by 2.9.7 cm (81 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings shects not an acceptable size. Fig(s) Drawings shects not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins.  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700 SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s)  Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B) Views. 37 CFR 1.84(h) Brackts needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Lead lines ross each other. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Top CI) Lead lines missing. Fig(s) Lead lines ross each other. Fig(s) Lead lines ross each other. Fig(s) Views not imbed or sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Fig(s) Sectional designation should be noted with Arabic or	PHOTOGRAPHS. 37 CFR 1.84(b)  1 full-tone set is required. Fig(s)	Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) J. SIZEO F PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (B 16 1/2 x 11 inches) All drawing sheets not the same size. Shee(s) Drawings sheets not an acceptable sizes. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: JUN 1 0 2003 Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700 Size 8 1/2 x 11 Margins not acceptable. Fig(s) Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable. Fig(s) Size 8 1/2 x 11  Margins not acceptable. Fig(s) Shade lines, pale, rough and blared. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Sig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Figure 1.84(p) Fig(s) Size 8 1/2 x 11  Margins not acceptable. Fig(s) Shade lines, pale, rough and blared. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Figure 1.84(p) Fig(s) Sig(s) Shade lines, pale, rough and blared. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Figure 1.84(p) Fig(s) Sig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Sig(s) Figure 1.84(p) Fig(s) Sig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Sig(s) Sig(s) Shade lines, pale prove fig(s) Fig(s) Sig(s) Shade lines, pale prove fig(s) Fig(s) Sig(s) Shad	Poor quality (half-tone). Fig(s)	reproduction. Fig(s)
Elastres, airerations, overwritings, interfineations, folds, copy machine marks not accepted. Fig(s)  Mylar, velum paper is not acceptable (too thin). Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (SI 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MRARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700 SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) WIEWS. 37 CFR 1.84(h) Right (R) VIEWS. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Wiews not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Mylar, velum paper is not acceptable. (too thin). Fig(s) Shabling, 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black areas pale, rough and blurred. Fig(s) Solid black areas pale, rough and blurred. Fig(s) Shabling, and plack for supplied and plack for solid black areas pale. Pig(s) Shabling, and plack for supplied and specification standing not permitted. Fig(s) Solid black areas pale. Pig(s) Should black areas pale. Pig(s) Solid black areas pale. Pig(s) Should black areas pale. Pig(s) Should black areas pale. Pig(s) Solid black area	Paper not flexible, strong, white, and durable.  Fig(s)	37 C5H 1.84(I)
Fig(s)  SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4)  21.6 cm by 29.0 cm (8 1/2 x 11 inches)  All drawing shects not the same size.  Shee(is)  Drawings shects not an acceptable size. Fig(s)  Enabled a feet a feet a feet and begin and legible.  Fig(s)  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  SIZE: A4 Size  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700  SIZE: 8 1/2 x 11  Margins not acceptable. Fig(s)  Top (T)  Right (R)  Bottom (B)  VIEWS. 37 CFR 1.84(h)  Bottom (B)  Views not labeled separately or properly.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  SIZE 18 (Fig(s)  Shade lines, pale, rough and blurred. Fig(s)  Numbers, pale reference characters not plain and legible.  Fig(s)  Shade lines respect a characters not plain and legible.  Fig(s)  Sheet sol make the view of characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1)  Fig(s)  Sheet sol make the view of characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)  Fig(s)  Sheet sol numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s)  Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Fig(s)  Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Fig(s)  Corrections on of made from prior PTO-948  dated  17. DESIGN DRAWINGS. 37 CFR 1.84(p)  Solid black shading not used. 37 CFR 1.84(p)  Corrections on of made from prior PTO-948  dated  18. CORRECTIONS. 37 CFR 1.84(p)  Corrections on of ma	folds, copy machine marks not accepted. Fig(s)	defined, clean, dyrable, and black (poor line quality).
2.1.0 cm by 29.7 cm (DIN size A4) 2.1.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Shee((s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not acceptable size. Fig(s) Drawings s	Fig(s)	Solid black areas pale. Fig(s)
An distinguishers not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  Drawings sheets not an acceptable size. Fig(s)  MARGINS. 37 CFR 1.84(g): Acceptable margins:  JUN 1 0 2003  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  SIZE: A4 Size  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700  Fig(s)  SIZE: 8 1/2 x 11  Margins not acceptable. Fig(s)  Top (T)  Right (R)  Bottom (B)  Views. 37 CFR 1.84(h)  Wilews. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  SECTIONAL VIEWS. 37 CFR 1.84 (h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  Drawings sheets not an acceptable size. Fig(s)  JUN 1 0 2003  Fig(s)  Figure legends are poor. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters musl be at least .3 2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Lead lines cross each other. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Corrections not made from prior PTO-948  dated  17. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate. Fig(s)  Solid black shading not used for color contrast.  Fig(s)  Fig(s)  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  Fig(s)  Fig(s)  Fig(s)  SIZE: 81/2 x 11  Numbers, letters and reference characters musl be at least .3 2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters musl be at least .	21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches)	Shade lines, pale, rough and blurred. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS.
Figure legends are poor. Fig(s)  JUN 1 0 2003  Figure legends are poor. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1)  Fig(s)  Figs  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Fi	Sheet(s) Drawings sheets not an acceptable size. Fig(s) RECEIV	37 CFR 1.84(p)  Numbers and reference characters not plain and legible.
SIZE: 84 Size  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 TECHNOLOGY CENTER R3700  SIZE: 8 1/2 x 11  Margins not acceptable. Fig(s)	ILIN 1 0 20	Figure legends are poor. Fig(s)
Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B)  REMINDER: Specification may require revision to correspond to drawing changes.  Partial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s) Views not labeled separately or properly.  Fig(s) Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Bectional VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object.  Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Left (L) Solve (I/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s)  Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s)  Lead lines cross each other. Fig(s)  Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Corrections not made from prior PTO-948 dated  17. DESIGN DRAWINGS. 37 CFR 1.84(w) Solid black shading not used for color contrast.  Fig(s)  Solid black shading not used for color contrast.	SIZE: A4 Size op 2.5 cm Left 2.5 cm Right 1.5 cm Boltom 1.0 TECHNOLOGY CENT	same direction as the view. 37 CFR 1.84(p)(1)
Right (R) Bottom (B)  Right (R) Bottom (B)  VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes.  Partial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s)  Enlarged view not labeled separately or properly.  Fig(s) Sectional VIEWS. 37 CFR 1.84(h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sig(s) Solid black shading not used for color contrast.	fargins not acceptable. Fig(s)	Figs
REMINDER: Specification may require revision to correspond to drawing changes.  Partial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines cross each other. Fig(s)  Sheets not number of DRAWINGS. 37 CFR 1.84(t)  Sheets not number of consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Sections not made from prior PTO-948  dated  17. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate. Fig(s)  Solid black shading not used for color contrast.  Fig(s)  Fig(s)  Solid black shading not used for color contrast.	Right (R) Bottom (B)	.32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s)
Brackets needed to show figure as one entity.  Brackets needed to show figure as one entity.  Fig(s)  Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  SECTIONAL VIEWS. 37 CFR 1.84 (h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t)  Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Corrections not made from prior PTO-948  dated  17. DESIGN DRAWINGS. 37 CFR 1.84(c)  Surface shading shown not appropriate. Fig(s)  Solid black shading not used for color contrast.  Fig(s)  Fig(s)  Solid black shading not used for color contrast.	EMINDER: Specification may require revision to orrespond to drawing changes.	Lead lines cross each other. Fig(s) Lead lines missing. Fig(s)
Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  16. CORRECTIONS. 37 CFR 1.84(w)  Corrections not made from prior PTO-948  dated  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  To be signature and section and proper properly.  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  Fig(s)  Fig(s)  Fig(s)  Fig(s)  Fig(s)  Fig(s)  Fig(s)  Fig(s)	Brackets needed to show figure as one entity.	14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(1)  Sheets not numbered consecutively, and in Arabic numerals
Ellianged view not labeled separetely or properly.  Fig(s)	Views not labeled separately or properly.  Fig(s)	<ol> <li>NUMBERING OF VIEWS. 37 CFR 1.84(u)</li> <li>Views not numbered consecutively, and in Arabic numerals.</li> </ol>
Hatching not indicated for sectional portions of an object.  Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Hatching not indicated for sectional portions of an object.  17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast.  Fig(s)  Fig(s)	Enlarged view not labeled separetely or properly.  Fig(s)	beginning with number 1. Fig(s)  16. CORRECTIONS. 37 CFR 1.84(w)
Fig(s) Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast.  Roman numbers. Fig(s) Fig(s)	Hatching not indicated for sectional portions of an object.	dated 17. DESIGN DRAWINGS. 37 CFR 1.152
	Sectional designation should be noted with Arabic or	Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast.
COMMENTS	· · · · · · · · · · · · · · · · · · ·	16(0)
	MMENTS	

REVIEWER S' Full	DATE 7/100 TELEPHONE N	O
ATTACHMENT TO PAPER NO6		en e